


# ~~Thermo~~ Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>FPS-CF</b>	
<b>Well Type</b>	Fabricated Thermowell	
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>FPS-MF</b>	
<b>Well Type</b>	Bar Stock Thermowell Fabricated Thermowell	
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>FPS-MF With Extension Lag</b>	
<b>Well Type</b>	Bar Stock Thermowell Fabricated Thermowell	
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>TM-PH With Thermowell</b>	<b>RM-PH With Thermowell</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# ~~Thermo Hunter Pty Ltd~~

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>TM-PH</b>	<b>RM-PH</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>TM-PH With Extension Lag</b>	<b>RM-PH With Extension Lag</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>TM-PH Pipe Clamp</b>	<b>RM-PH Pipe Clamp</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>D1 Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	TM-A Ceramic bead Probe With Block	
<b>Sensor Type</b>	Thermocouple K J T N R	
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>TM-A Ceramic Terminal Block</b>	<b>RM-A Ceramic Terminal Block</b>
<b>Sensor Type</b>	Thermocouple K J T N R	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# ~~Thermo Hunter Pty Ltd~~

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-CR</b>	
<b>Sensor Type</b>	Thermocouple K J T N R	
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-CR With Flange</b>	
<b>Sensor Type</b>	Thermocouple K J T N R	
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-PL with Plug</b>	<b>R-PL with Plug</b>
<b>Sensor Type</b>	Thermocouple K J T	Pt100 Pt1000
<b>L1 x Description</b>	2000 mm FG/FG Stainless Overbraid	2000 mm PTFE Stainless Overbraid
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>	350C	350C
<b>Additional Fittings</b>	Bayonet Adaptor	Bayonet Adaptor
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
Sensor Description	T-PL	R-PL
Sensor Type	Thermocouple K J T	Pt100 Pt1000
L1 x Description	2000 mm FG/FG Stainless Overbraid	2000 mm PTFE Stainless Overbraid
L2 x Diameter		
Thread Sizes		
Spring Loading		
Maximum Temp	350C	350C
Additional Fittings	Bayonet Adaptor	Bayonet Adaptor
Transmitter		
Additional Notes		

# ~~Thermo~~ Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-PL Washer Probe with Plug</b>	<b>R-PL Washer Probe With Plug</b>
<b>Sensor Type</b>	Thermocouple K J T	Pt100 Pt1000
<b>L1 x Description</b>	2000 mm FG/FG Stainless Overbraid	2000 mm PTFE Stainless Overbraid
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>	350C	350C
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-PL Bolt Probe</b>	<b>R-PL Bolt Probe</b>
<b>Sensor Type</b>	Thermocouple K J T	Pt100 Pt1000
<b>L1 x Description</b>	2000 mm FG/FG Stainless Overbraid	2000 mm PTFE Stainless Overbraid
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>	350C	350C
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# ~~Thermo~~ Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-NZ Nozzle Probe</b>	<b>T-NZ Nozzle Probe</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Description</b>	2000 mm FG/FG Stainless Overbraid	2000 mm PTFE Stainless Overbraid
<b>D1 Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>	350C	350C
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>T-LT with Plug</b>	<b>R-LT with Plug</b>
<b>Sensor Type</b>	Thermocouple K J T	Pt100 Pt1000
<b>L1 x Description</b>		
<b>L2 x Description</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>	350C	350C
<b>Plug Size</b>	Mini Standard	Mini Standard
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
<b>Sensor Description</b>	<b>T-LT R/Angle</b>	<b>R-LT R/Angle</b>
<b>Sensor Type</b>	Thermocouple K J T	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>L3 x Description</b>	2000 mm FG/FG Stainless Overbraid	2000 mm PTFE Stainless Overbraid
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>TM-ET With Plug</b>	<b>RM-ET With Plug</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Description</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>	Standard Plug Mini Plug	Standard Plug Mini Plug
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>TM-ET Spring Bearing Probe</b>	<b>RM-ET Spring Bearing Probe</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Description</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# ~~Thermo~~ Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




<b>Customer Details</b>		
<b>Sensor Description</b>	<b>T-HH Hand Held Standard Probe</b>	<b>R-HH Hand Held Standard Probe</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au




Customer Details		
Sensor Description	T-HH Hand Held Surface Probe	R-HH Hand Held Surface Probe
Sensor Type	Thermocouple K J T N	Pt100 Pt1000
L1 x Diameter		
L2 x Diameter		
Thread Sizes		
Spring Loading		
Maximum Temp		
Additional Fittings		
Transmitter		
Additional Notes		

# Thermo Hunter Pty Ltd

ABN: 90 091647 684

1/378 Parramatta Rd  
Homebush NSW 2140

Phone: 02 87460900  
Fax: 02 87460122  
Email: thermohunter@netdata.com.au



<b>Customer Details</b>		
<b>Sensor Description</b>	<b>T-HH Hand Held Surface Roller</b>	<b>R-HH Hand Held Surface Roller</b>
<b>Sensor Type</b>	Thermocouple K J T N	Pt100 Pt1000
<b>L1 x Diameter</b>		
<b>L2 x Diameter</b>		
<b>Thread Sizes</b>		
<b>Spring Loading</b>		
<b>Maximum Temp</b>		
<b>Additional Fittings</b>		
<b>Transmitter</b>		
<b>Additional Notes</b>		